


AD668648

ECOM - 5178  
February 1968

AD

# EMPIRICAL ESTIMATES OF ERRORS IN DOUBLE-THEODOLITE WIND MEASUREMENTS

By  
Ralph Butler  
and  
Louis D. Duncan



**U. S. ARMY ELECTRONICS R&D ACTIVITY**  
WHITE SANDS MISSILE RANGE, NEW MEXICO

Distribution of this  
report is unlimited.

# ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

U. S. ARMY ELECTRONICS COMMAND

#### DDC AVAILABILITY NOTICE

Distribution of this report is unlimited.

#### DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return it to the originator.

#### DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

ACQUISITION FOR	
CRSTI	WHITE SECTION <input checked="" type="checkbox"/>
DDC	BUFF SECTION <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DIST. BU FOR AVAILABILITY CODE	
DIST.	AVAIL. CODE OF SPECIAL

**EMPIRICAL ESTIMATES OF ERRORS IN  
DOUBLE-THEODOLITE WIND MEASUREMENTS**

by  
**Ralph Butler**  
and  
**Louis D. Duncan**

**ECOM-5178**

**DA TASK IT014501B53A-10**

**February 1968**

**ATMOSPHERIC SCIENCES LABORATORY  
WHITE SANDS MISSILE RANGE, NEW MEXICO**

**Distribution of this  
report is unlimited.**

## ABSTRACT

This paper presents the results of an empirical study conducted at White Sands Missile Range, New Mexico, to estimate the errors in winds obtained by the manual double-theodolite wind system.

A series of pilot balloon flights was conducted as a part of the tests. Each balloon was tracked simultaneously by the double-theodolite system and the very precise Contraves cinetheodolite system. The cinetheodolite system was used as a standard for evaluation of the double-theodolite system. Differences between the two systems were considered to be errors in the double-theodolite system.

An observation interval of 20 seconds was used for the manual double-theodolite system; the observation interval for the cinetheodolite system was 1 second. Each balloon was tracked for 520 seconds. The double-theodolite data were reduced for observation intervals of 20, 40, 60, 80, 100, and 120 seconds. The reduced data, wind speed and direction, were compared with the cinetheodolite data for corresponding time periods. Similar evaluations were made by comparing the mean winds, measured independently by the two systems, through specified altitude layers. Layer thicknesses of 100, 200, 300, 400, and 500 feet were considered.

The paper presents a discussion of the tests, the data reduction procedures, and results obtained. The decrease in errors for increased observation interval and increased layer thickness is discussed. The variation of measurement error with altitude is also presented.

## CONTENTS

	Page
ABSTRACT -----	iii
INTRODUCTION -----	1
CONTRAVES PHOTO-THEODOLITE SYSTEM -----	1
THE MANUAL DOUBLE-THEODOLITE SYSTEM -----	3
DEFINITIONS OF ERRORS -----	4
COMPARISON BASED ON TIME INTERVALS -----	4
EVALUATION BY ALTITUDE LAYERS -----	5
SUMMARY AND CONCLUSIONS -----	10
REFERENCE'S -----	13

## INTRODUCTION

The manual double theodolite system for pilot balloon tracking is one system presently used for wind measurement at White Sands Missile Range (WSMR), New Mexico, in support of rocket firings. This system consists of two manually operated theodolites which track a pilot balloon, i.e., at discrete intervals of time, the azimuth and elevation angles from each theodolite are recorded. These data are then reduced either by plotting board (1) or by computer (2) techniques to obtain wind data.

Many of the rockets fired at WSMR are highly wind sensitive. Thus it is desirable to know the error distributions of the various wind measuring systems. This paper describes a series of tests -- and presents the results thereof -- performed at WSMR to estimate the accuracy of the manual double-theodolite system.

The evaluation was based on analysis of routine manual double-theodolite observations furnished by the Meteorological Support Division, Atmospheric Sciences Laboratory, WSMR, New Mexico. Thirty-six balloon ascents of 9-minute duration during the period 12 October 1965 to 10 February 1966 were used in the evaluation. Each balloon (a hundred-gram pilot balloon inflated for an ascent rate of approximately 1000 feet per minute) was also tracked by the Contraves photo-theodolite system. The data obtained from the Contraves system were used as a standard for the comparison.

All data were collected in the vicinity of launch complex 36 (LC-36), WSMR. The relative position of the trackers is shown in Figure 1. Four photo-theodolites (G107, G108, G109, and G110) were used by the Contraves system. The readings from the manual double-theodolite system were recorded every 20 seconds. The observation interval for the Contraves system was one second. Precise timing was provided by IRIG-B timing (10 per second) at the LC-36 blockhouse and the photo-theodolite positions. The 20-second timing interval for the manual theodolites was coordinated by voice communication over the Range Command Network.

## CONTRAVES PHOTO-THEODOLITE SYSTEM

Photo-theodolites are angle measuring instruments used to determine the trajectories of moving aerial targets. These theodolites, placed at known distances from each other, measure and record on




Fig. 1. Relative Geometry of Data Collection Site.

film the azimuth and elevation angles to a target. Since the distance between the theodolites (base line) and the angular measurements are known, the positions of the target can be computed. In the Contraves photo-theodolite system, the target is photographed in a manner which allows time to be recorded along with azimuth, elevation, and target position relative to a pair of cross hairs in the optical path. Measured data are read from film and corrected for errors which include eccentricity, lens sag, reference zero, collimation, mislevel (or tilt), refraction, and bore sight errors.

Corrected rays from the various theodolites will intersect only with zero probability because of unknown sources of error in the Contraves photo-theodolite and in reading the film. Therefore, the problem arises of estimating the position of a target at a given time from observations yielding nonintersecting lines in space. The method of solution (3) at WSMR is based on the theory of least-squares, minimizing the sum of the squares of angular residuals.

Component velocities were computed from the Contraves position data by numerical differentiation. Standard WSMR data reduction techniques (4) were employed. Mean velocities for specific time intervals were computed as simple averages.

Precise error estimates for the velocities obtained by the Contraves system are not available. However, the qualitative results obtained by Kingsley et al., (5,6) indicate that these errors would be quite small.

#### THE MANUAL DOUBLE-THEODOLITE SYSTEM

The manual double-theodolite system consists of two optical theodolites located at known positions. For these runs two operators were present at each position. Upon signal over the voice network one operator reads aloud the azimuth and elevation angles from the dials and resumes tracking while the second operator records the angles.

The position data for manual double-theodolite solution were computed using the solution such that the sum of the squares of distances from this point to each line of sight is minimized (2). The first 20-second layer of each run was discarded due to large initial errors in balloon acquisition after launch. The 20 through 39-second layer was the first layer used in the comparison and was followed by 24 additional 20-second layers through the 500 to 519-second layer.



The last layer (520-539 seconds) was deleted because Contraves photo-theodolite data were incomplete.

Wind components were computed from the position data using the first differences

$$W_{x_i} = \frac{X_{i+1} - X_i}{T_{i+1} - T_i} = \frac{X_{i+1} - X_i}{20}$$

$$W_{y_i} = \frac{Y_{i+1} - Y_i}{T_{i+1} - T_i} = \frac{Y_{i+1} - Y_i}{20}$$

$W_{x_i}$  and  $W_{y_i}$  were considered to be the mean wind components for the time layer  $(T_i, T_{i+1})$ .

#### DEFINITIONS OF ERRORS

For purposes of evaluation of the manual double-theodolite system the winds determined by the Contraves systems were assumed to be correct. Differences between the two measurements were then defined to be errors in the double-theodolite system. The authors realize that this assumption tends to degrade the system being evaluated; however, it is believed that, since the Contraves system is much more precise than the manual double system, the degree of degrading will be insignificant.

The error estimates, expressed in terms of the RMS value  $\sigma$ , were computed for speed and direction. These RMS values are denoted by  $\sigma_s$  and  $\sigma_D$  respectively.

#### COMPARISON BASED ON TIME INTERVALS

Two separate modes of comparison were used in this study. The first technique was to compare the mean winds obtained for specified time intervals (balloon flight time intervals). Since it is clear that expected error in measuring the mean wind depends upon the observation interval, several different lengths for the time intervals were

used in the data reduction. These were all integer multiples of the observation interval -- 20 seconds. Comparisons were made for time intervals of 20, 40, 60, 80, 100 and 120 seconds.

RMS values for the errors were computed separately for each run for the 20-second interval comparisons. These results are presented in Table I and indicate the differences in precision from run to run. Such error estimates were not computed for the larger time intervals due to the small sample sizes (12 or fewer) obtained.

It is apparent, after a moment's reflection, that  $\sigma_D$  is a function of  $s$ . To investigate this relationship the estimates of  $\sigma_s$  and  $\sigma_D$  were computed for the entire data sample and for three speed ranges:  $s < 5$  fps,  $5 \text{ fps} \leq s < 10 \text{ fps}$ ,  $s \geq 10 \text{ fps}$ . These results are shown in Figure 2.

The pertinent question of whether measurement error varies throughout the flight was investigated by computing  $\sigma_s$  and  $\sigma_D$  separately for each time layer. The results for time intervals of 20 and 60 seconds are presented in Figure 3. The abscissa is the midpoint of the layer.

#### EVALUATION BY ALTITUDE LAYERS

The evaluations described in the previous section were easy to design and compute. However, most applications of balloon-measured winds require mean winds through specified altitude layers. This is especially true for rocket trajectory analysis. If the balloon ascent rates were invariant from ascent to ascent the results of the preceding section could be interpreted, by suitable change of variable, to yield the desired results. Unfortunately the ascent rate is not invariant.

A natural question arises as to how one should process the original data to compute the mean wind through a given height layer. Numerous techniques can be advanced, and each has its own merit. The following was used for this study:

Let  $\{W_{x_i}, W_{y_i}, Z_i, t_i\}_{i=1}^N$  be the computed "20-second

TABLE I  
Error Estimates for Individual Runs

I.D	$\sigma_D$	$\sigma_s$	I.D	$\sigma_D$	$\sigma_s$
1012654	3.25	1.55	0120663	9.98	3.13
1021652	5.91	1.21	0120664	7.24	1.28
1021656	5.51	1.28	0120667	8.14	1.19
1021657	8.00	.80	0125661	4.16	1.56
102652	21.68	.92	0125662	3.84	2.57
1102653	20.73	1.70	0125663	4.78	3.96
1102654	9.35	1.10	0125664	4.05	2.19
1104651	7.67	2.49	0125665	3.15	2.01
1104653	7.11	2.99	0127662	5.70	4.37
1104654	4.87	1.83	0127664	2.93	2.67
1104656	8.37	3.04	0127665	8.06	3.82
1109654	3.78	1.20	0203661	28.69	.70
1109655	8.01	3.02	0203662	18.29	1.10
1116653	16.33	2.94	0203664	3.22	.81
1116654	27.83	1.52	0203665	7.29	1.04
0111666	3.77	4.32	0203666	15.90	2.25
0113666	7.69	2.69	0210663	5.25	2.05
0120661	15.66	2.70	0210667	3.02	2.99





Fig. 2. Variation of Error with Observation Interval



ELAPSED TIME - SECONDS

Fig. 3 Variation of Error with Balloon Flight Time

profile" where  $W_{x_1}$  is the x-component,  $W_{y_1}$  is the y-component,  $t_1$  is time, and  $Z_1$  is altitude at the end of the 20-second period. Consider the sequence  $(W_1, \bar{Z}_1)_{i=1}^N$  where  $W_1$  represents either  $W_{x_1}$  or  $W_{y_1}$  and  $\bar{Z}_1 = (Z_1 + Z_{1-1})/2$ . For an altitude layer  $[h_1, h_2]$  let  $W_1^*$  and  $W_2^*$  be the values obtained from  $(W_1, \bar{Z}_1)_{i=1}^N$  by linear interpolation at  $h_1$  and  $h_2$  respectively.

If there does not exist a value of  $\bar{Z}_1$  between  $h_1$  and  $h_2$  the mean wind over the layer,  $\bar{W}$ , is taken as  $\bar{W} = (W_1^* + W_2^*)/2$ . Suppose there exists  $h_1 < \bar{Z}_1 < \dots < \bar{Z}_{i+n} < h_2$ . Then  $\bar{W}$  is taken as a weighted average  $\bar{W} = \sum_{j=1}^{n+1} \alpha_j W_j$  where  $\alpha_1 = (\bar{Z}_1 - h_1)/(h_2 - h_1)$ ,  $\alpha_{n+1} = (h_2 - \bar{Z}_{i+n})/(h_2 - h_1)$ ,  $\alpha_j = (\bar{Z}_{i+j} - \bar{Z}_{i+j-1})/(h_2 - h_1)$  for  $1 < j < n+1$ ,  $\hat{W}_j = (W_1 + W_1^*)/2$ ,  $\hat{W}_{n+1} = (W_{i+n} + W_2^*)/2$ , and  $\hat{W}_j = (W_{i+j} + W_{i+j-1})/2$  for  $1 < j < n+1$ .

The procedure described above was applied to the profiles measured by both the manual double-theodolite system and the Contraves system to obtain mean winds through adjacent 100-foot thick height intervals. As before, the differences between these profiles were considered to be errors in the manual double system. Profiles for height interval thicknesses of 200, 300, 400 and 500 feet were obtained by taking appropriate averages from the "100-foot profiles." It is easy to see that this procedure yields the same profile that would be obtained by applying the procedure outlined in the preceding paragraph to the original data.

The statistical parameters computed for this evaluation are the same as those discussed in the preceding result. The

error estimates for the various speed ranges and layer thicknesses are shown in Fig. 4. The variation of error with altitude, plotted at the midpoint of the layer, is shown in Figure 5 for layer thicknesses of 100 and 500 feet.

#### SUMMARY AND CONCLUSIONS

The system of tests was designed to determine the accuracy of winds measured by a routine manual double-theodolite system. More accurate results could, perhaps, be obtained by highly skilled operators; however, such results would not be typical of routine operations. One-hundred gram balloons inflated for an ascent rate of approximately 1000 feet per minute were used for the tests. The results presented herein are not necessarily applicable to other balloons or other ascent rates.

The measurement error depends upon both wind speed and layer thickness. This is shown in Figures 2 and 4. If one desires to use a single value for a fixed layer thickness the curves labeled "All Data" should suffice. The variation of measurement error with altitude is shown in Figures 3 and 5. The data presented in Table I show the variation in measurement error that can occur from different balloon tracks.




Fig. 4. Variation of Error with Depth of Altitude Averaging Layer






Fig. 5. Variation of Error with Altitude.

#### REFERENCES

1. Hansen, F. V., and P. N. Taft, "Another Method of Evaluating Double-Theodolite Runs," Bull. Amer. Meteor. Soc., 40, 221-224, 1959.
2. Duncan, Louis D., "Real-Time Meteorological System for Unguided Rocket Impact Prediction," ERDA-55, U.S. Army Electronics Research and Development Activity, White Sands Missile Range, New Mexico, 1963, AD 413-159.
3. Davis, R. C., Techniques for the Statistical Analysis of Cinetheodolite Data NAVORD Rpt. 1299, NOTS 369, Naval Ordnance Test Station, China Lake, California, March 1951.
4. Comstock, D. W., M. H. Wright, and V. B. Tipton, Handbook of Data Reduction Methods, Data Reduction Division Technical Report, White Sands Missile Range, New Mexico, August 1964.
5. Kingsley, O. L., and B. R. Free, "An Analysis of the Bias and Precision Estimates of Trajectory Measuring Systems," Vol. II. Special Report, U.S. Army Test and Evaluation Command, Range Instrumentation Systems Office, White Sands Missile Range, New Mexico, 1965.
6. Kingsley, O. L., and B. L. Williams, "An Analysis of the Bias and Precision Estimates of Trajectory Measuring Systems," Special Report, U.S. Army Test and Evaluation Command, Systems Development Directorate, National Range Engineering, White Sands Missile Range, New Mexico, 1966.

## ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Webb, W.L., "Development of Droplet Size Distributions in the Atmosphere," June 1954.
2. Hansen, F. V., and H. Rachele, "Wind Structure Analysis and Forecasting Methods for Rockets," June 1954.
3. Webb, W. L., "Net Electrification of Water Droplets at the Earth's Surface," *J. Meteorol.*, December 1954.
4. Mitchell, R., "The Determination of Non-Ballistic Projectile Trajectories," March 1955.
5. Webb, W. L., and A. McPike, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #1, March 1955.
6. Mitchell, R., and W. L. Webb, "Electromagnetic Radiation through the Atmosphere," #1, April 1955.
7. Webb, W. L., A. McPike, and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #2, July 1955.
8. Barichivich, A., "Meteorological Effects on the Refractive Index and Curvature of Microwaves in the Atmosphere," August 1955.
9. Webb, W. L., A. McPike and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #3, September 1955.
10. Mitchell, R., "Notes on the Theory of Longitudinal Wave Motion in the Atmosphere," February 1956.
11. Webb, W. L., "Particulate Counts in Natural Clouds," *J. Meteorol.*, April 1956.
12. Webb, W. L., "Wind Effect on the Aerobee," #1, May 1956.
13. Rachele, H., and L. Anderson, "Wind Effect on the Aerobee," #2, August 1956.
14. Beyers, N., "Electromagnetic Radiation through the Atmosphere," #2, January 1957.
15. Hansen, F. V., "Wind Effect on the Aerobee," #3, January 1957.
16. Kershner, J., and H. Bear, "Wind Effect on the Aerobee," #4, January 1957.
17. Hoidale, G., "Electromagnetic Radiation through the Atmosphere," #3, February 1957.
18. Querfeld, C. W., "The Index of Refraction of the Atmosphere for 2.2 Micron Radiation," March 1957.
19. White, Lloyd, "Wind Effect on the Aerobee," #5, March 1957.
20. Kershner, J. G., "Development of a Method for Forecasting Component Ballistic Wind," August 1957.
21. Layton, Ivan, "Atmospheric Particle Size Distribution," December 1957.
22. Rachele, Henry and W. H. Hatch, "Wind Effect on the Aerobee," #6, February 1958.
23. Beyers, N. J., "Electromagnetic Radiation through the Atmosphere," #4, March 1958.
24. Prosser, Shirley J., "Electromagnetic Radiation through the Atmosphere," #5, April 1958.
25. Armendariz, M., and P. H. Taft, "Double Theodolite Ballistic Wind Computations," June 1958.
26. Jenkins, K. R. and W. L. Webb, "Rocket Wind Measurements," June 1958.
27. Jenkins, K. R., "Measurement of High Altitude Winds with Loki," July 1958.
28. Hoidale, G., "Electromagnetic Propagation through the Atmosphere," #6, February 1959.
29. McLardie, M., R. Helvey, and L. Traylor, "Low-Level Wind Profile Prediction Techniques," #1, June 1959.
30. Lamberth, Roy, "Gustiness at White Sands Missile Range," #1, May 1959.
31. Beyers, N. J., B. Hinds, and G. Hoidale, "Electromagnetic Propagation through the Atmosphere," #7, June 1959.
32. Beyers, N. J., "Radar Refraction at Low Elevation Angles (U)," Proceedings of the Army Science Conference, June 1959.
33. White, L., O. W. Thiele and P. H. Taft, "Summary of Ballistic and Meteorological Support During IGY Operations at Fort Churchill, Canada," August 1959.
34. Hainline, D. A., "Drag Cord-Aerovane Equation Analysis for Computer Application," August 1959.
35. Hoidale, G. B., "Slope-Valley Wind at WSMR," October 1959.
36. Webb, W. L., and K. R. Jenkins, "High Altitude Wind Measurements," *J. Meteorol.*, 16, 5, October 1959.

37. White, Lloyd, "Wind Effect on the Aerobee," #9, October 1959.
38. Webb, W. L., J. W. Coffman, and G. Q. Clark, "A High Altitude Acoustic Sensing System," December 1959.
39. Webb, W. L., and K. R. Jenkins, "Application of Meteorological Rocket Systems," *J. Geophys. Res.*, 64, 11, November 1959.
40. Duncan, Louis, "Wind Effect on the Aerobee," #10, February 1960.
41. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #2, February 1960.
42. Webb, W. L., and K. R. Jenkins, "Rocket Sounding of High-Altitude Parameters," *Proc. GM Rel. Symp.*, Dept. of Defense, February 1960.
43. Armendariz, M., and H. H. Monahan, "A Comparison Between the Double Theodolite and Single-Theodolite Wind Measuring Systems," April 1960.
44. Jenkins, K. R., and P. H. Taft, "Weather Elements in the Tularosa Basin," July 1960.
45. Beyers, N. J., "Preliminary Radar Performance Data on Passive Rocket-Borne Wind Sensors," *IRE TRANS, MIL ELECT, MIL-4*, 2-3, April-July 1960.
46. Webb, W. L., and K. R. Jenkins, "Speed of Sound in the Stratosphere," June 1960.
47. Webb, W. L., K. R. Jenkins, and G. Q. Clark, "Rocket Sounding of High Atmosphere Meteorological Parameters," *IRE Trans. Mil. Elect.*, MIL-4, 2-3, April-July 1960.
48. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #3, September 1960.
49. Beyers, N. J., and O. W. Thiele, "Meteorological Wind Sensors," August 1960.
50. Armijo, Larry, "Determination of Trajectories Using Range Data from Three Non-colinear Radar Stations," September 1960.
51. Carnes, Patsy Sue, "Temperature Variations in the First 200 Feet of the Atmosphere in an Arid Region," July 1961.
52. Springer, H. S., and R. O. Olsen, "Launch Noise Distribution of Nike-Zeus Missiles," July 1961.
53. Thiele, O. W., "Density and Pressure Profiles Derived from Meteorological Rocket Measurements," September 1961.
54. Diamond, M. and A. B. Gray, "Accuracy of Missile Sound Ranging," November 1961.
55. Lamberth, R. L. and D. R. Veith, "Variability of Surface Wind in Short Distances," #1, October 1961.
56. Swanson, R. N., "Low-Level Wind Measurements for Ballistic Missile Application," January 1962.
57. Lamberth, R. L. and J. H. Grace, "Gustiness at White Sands Missile Range," #2, January 1962.
58. Swanson, R. N. and M. M. Hoidale, "Low-Level Wind Profile Prediction Techniques," #4, January 1962.
59. Rachele, Henry, "Surface Wind Model for Unguided Rockets Using Spectrum and Cross Spectrum Techniques," January 1962.
60. Rachele, Henry, "Sound Propagation through a Windy Atmosphere," #2, February 1962.
61. Webb, W. L., and K. R. Jenkins, "Sonic Structure of the Mesosphere," *J. Acous. Soc. Amer.*, 34, 2, February 1962.
62. Tourin, M. H. and M. M. Hoidale, "Low-Level Turbulence Characteristics at White Sands Missile Range," April 1962.
63. Miers, Bruce T., "Mesospheric Wind Reversal over White Sands Missile Range," March 1962.
64. Fisher, E., R. Lee and H. Rachele, "Meteorological Effects on an Acoustic Wave within a Sound Ranging Array," May 1962.
65. Walter, E. L., "Six Variable Ballistic Model for a Rocket," June 1962.
66. Webb, W. L., "Detailed Acoustic Structure Above the Tropopause," *J. Applied Meteorol.*, 1, 2, June 1962.
67. Jenkins, K. R., "Empirical Comparisons of Meteorological Rocket Wind Sensors," *J. Appl. Meteor.*, June 1962.
68. Lamberth, Roy, "Wind Variability Estimates as a Function of Sampling Interval," July 1962.
69. Rachele, Henry, "Surface Wind Sampling Periods for Unguided Rocket Impact Prediction," July 1962.
70. Traylor, Larry, "Coriolis Effects on the Aerobee-Hi Sounding Rocket," August 1962.
71. McCoy, J., and G. Q. Clark, "Meteorological Rocket Thermometry," August 1962.
72. Rachele, Henry, "Real-Time Prelaunch Impact Prediction System," August 1962.

73. Beyers, N. J., O. W. Thiele, and N. K. Wagner, "Performance Characteristics of Meteorological Rocket Wind and Temperature Sensors," October 1962.
74. Coffman, J., and R. Price, "Some Errors Associated with Acoustical Wind Measurements through a Layer," October 1962.
75. Armendariz, M., E. Fisher, and J. Serna, "Wind Shear in the Jet Stream at WS-MR," November 1962.
76. Armendariz, M., F. Hansen, and S. Carnes, "Wind Variability and its Effect on Rocket Impact Prediction," January 1963.
77. Querfeld, C., and Wayne Yunker, "Pure Rotational Spectrum of Water Vapor, I: Table of Line Parameters," February 1963.
78. Webb, W. L., "Acoustic Component of Turbulence," *J. Applied Meteorol.*, 2, 2, April 1963.
79. Beyers, N. and L. Engberg, "Seasonal Variability in the Upper Atmosphere," May 1963.
80. Williamson, L. E., "Atmospheric Acoustic Structure of the Sub-polar Fall," May 1963.
81. Lamberth, Roy and D. Veith, "Upper Wind Correlations in Southwestern United States," June 1963.
82. Sandlin, E., "An analysis of Wind Shear Differences as Measured by AN/FPS-16 Radar and AN/GMD-1B Rawinsonde," August 1963.
83. Diamond, M. and R. P. Lee, "Statistical Data on Atmospheric Design Properties Above 30 km," August 1963.
84. Thiele, O. W., "Mesospheric Density Variability Based on Recent Meteorological Rocket Measurements," *J. Applied Meteorol.*, 2, 5, October 1963.
85. Diamond, M., and O. Essenwanger, "Statistical Data on Atmospheric Design Properties to 30 km," *Astro. Aero. Engr.*, December 1963.
86. Hansen, F. V., "Turbulence Characteristics of the First 62 Meters of the Atmosphere," December 1963.
87. Morris, J. E., and B. T. Miers, "Circulation Disturbances Between 25 and 70 kilometers Associated with the Sudden Warming of 1963," *J. of Geophys. Res.*, January 1964.
88. Thiele, O. W., "Some Observed Short Term and Diurnal Variations of Stratospheric Density Above 30 km," January 1964.
89. Sandlin, R. E., Jr. and E. Armijo, "An Analysis of AN FPS-16 Radar and AN GMD-1B Rawinsonde Data Differences," January 1964.
90. Miers, B. T., and N. J. Beyers, "Rocketsonde Wind and Temperature Measurements Between 30 and 70 km for Selected Stations," *J. Applied Meteorol.*, February 1964.
91. Webb, W. L., "The Dynamic Stratosphere," *Astronautics and Aerospace Engineering*, March 1964.
92. Low, R. D. H., "Acoustic Measurements of Wind through a Layer," March 1964.
93. Diamond, M., "Cross Wind Effect on Sound Propagation," *J. Applied Meteorol.*, April 1964.
94. Lee, R. P., "Acoustic Ray Tracing," April 1964.
95. Reynolds, R. D., "Investigation of the Effect of Lapse Rate on Balloon Ascent Rate," May 1964.
96. Webb, W. L., "Scale of Stratospheric Detail Structure," *Space Research V*, May 1964.
97. Barber, T. L., "Proposed X-Ray-Infrared Method for Identification of Atmospheric Mineral Dust," June 1964.
98. Thiele, O. W., "Ballistic Procedures for Unguided Rocket Studies of Nuclear Environments (U)," Proceedings of the Army Science Conference, June 1964.
99. Horn, J. D., and E. J. Trawle, "Orographic Effects on Wind Variability," July 1964.
100. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #1, September 1964.
101. Duncan, L. D., R. Ensey, and B. Engebos, "Athena Launch Angle Determination," September 1964.
102. Thiele, O. W., "Feasibility Experiment for Measuring Atmospheric Density Through the Altitude Range of 60 to 100 KM Over White Sands Missile Range," October 1964.
103. Duncan, L. D., and R. Ensey, "Six-Degree-of-Freedom Digital Simulation Model for Unguided, Fin-Stabilized Rockets," November 1964.

104. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #2, November 1964.
105. Webb, W. L., "Stratospheric Solar Response," *J. Atmos. Sci.*, November 1964.
106. McCoy, J. and G. Clark, "Rocketsonde Measurement of Stratospheric Temperature," December 1964.
107. Farone, W. A., "Electromagnetic Scattering from Radially Inhomogeneous Spheres as Applied to the Problem of Clear Atmosphere Radar Echoes," December 1964.
108. Farone, W. A., "The Effect of the Solid Angle of Illumination or Observation on the Color Spectra of 'White Light' Scattered by Cylinders," January 1965.
109. Williamson, L. E., "Seasonal and Regional Characteristics of Acoustic Atmospheres," *J. Geophys. Res.*, January 1965.
110. Armendariz, M., "Ballistic Wind Variability at Green River, Utah," January 1965.
111. Low, R. D. H., "Sound Speed Variability Due to Atmospheric Composition," January 1965.
112. Querfeld, C. W., "Mie Atmospheric Optics," *J. Opt. Soc. Amer.*, January 1965.
113. Coffman, J., "A Measurement of the Effect of Atmospheric Turbulence on the Coherent Properties of a Sound Wave," January 1965.
114. Rachele, H., and D. Veith, "Surface Wind Sampling for Unguided Rocket Impact Prediction," January 1965.
115. Ballard, H., and M. Izquierdo, "Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow," February 1965.
116. Mireles, R., "An Algorithm for Computing Half Widths of Overlapping Lines on Experimental Spectra," February 1965.
117. Richart, H., "Inaccuracies of the Single-Theodolite Wind Measuring System in Ballistic Application," February 1965.
118. D'Arcy, M., "Theoretical and Practical Study of Aerobee-150 Ballistics," March 1965.
119. McCoy, J., "Improved Method for the Reduction of Rocketsonde Temperature Data," March 1965.
120. Mireles, R., "Uniqueness Theorem in Inverse Electromagnetic Cylindrical Scattering," April 1965.
121. Coffman, J., "The Focusing of Sound Propagating Vertically in a Horizontally Stratified Medium," April 1965.
122. Farone, W. A., and C. Querfeld, "Electromagnetic Scattering from an Infinite Circular Cylinder at Oblique Incidence," April 1965.
123. Rachele, H., "Sound Propagation through a Windy Atmosphere," April 1965.
124. Miers, B., "Upper Stratospheric Circulation over Ascension Island," April 1965.
125. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," April 1965.
126. Hoidale, G. B., "Meteorological Conditions Allowing a Rare Observation of 24 Micron Solar Radiation Near Sea Level," *Meteorol. Magazine*, May 1965.
127. Beyers, N. J., and B. T. Miers, "Diurnal Temperature Change in the Atmosphere Between 30 and 60 km over White Sands Missile Range," *J. Atmos. Sci.*, May 1965.
128. Querfeld, C., and W. A. Farone, "Tables of the Mie Forward Lobe," May 1965.
129. Farone, W. A., "Generalization of Rayleigh-Gans Scattering from Radially Inhomogeneous Spheres," *J. Opt. Soc. Amer.*, June 1965.
130. Diamond, M., "Note on Mesospheric Winds Above White Sands Missile Range," *J. Applied Meteorol.*, June 1965.
131. Clark, G. Q., and J. G. McCoy, "Measurement of Stratospheric Temperature," *J. Applied Meteorol.*, June 1965.
132. Hall, T., G. Hoidale, R. Mireles, and C. Querfeld, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #3, July 1965.
133. McCoy, J., and C. Tate, "The Delta-T Meteorological Rocket Payload," June 1964.
134. Horn, J. D., "Obstacle Influence in a Wind Tunnel," July 1965.
135. McCoy, J., "An AC Probe for the Measurement of Electron Density and Collision Frequency in the Lower Ionosphere," July 1965.
136. Miers, B. T., M. D. Kays, O. W. Thiele and E. M. Newby, "Investigation of Short Term Variations of Several Atmospheric Parameters Above 30 KM," July 1965.

137. Serna, J., "An Acoustic Ray Tracing Method for Digital Computation," September 1965.
138. Webb, W. L., "Morphology of Noctilucent Clouds," *J. Geophys. Res.*, 70, 18, 4463-4475, September 1965.
139. Kays, M., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, 70, 18, 4453-4462, September 1965.
140. Rider, L., "Low-Level Jet at White Sands Missile Range," September 1965.
141. Lamberth, R. L., R. Reynolds, and Morton Wurtele, "The Mountain Lee Wave at White Sands Missile Range," *Bull. Amer. Meteorol. Soc.*, 46, 10, October 1965.
142. Reynolds, R. and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," October 1965.
143. McCluney, E., "Theoretical Trajectory Performance of the Five-Inch Gun Probe System," October 1965.
144. Pena, R. and M. Diamond, "Atmospheric Sound Propagation near the Earth's Surface," October 1965.
145. Mason, J. B., "A Study of the Feasibility of Using Radar Chaff For Stratospheric Temperature Measurements," November 1965.
146. Diamond, M., and R. P. Lee, "Long-Range Atmospheric Sound Propagation," *J. Geophys. Res.*, 70, 22, November 1965.
147. Lamberth, R. L., "On the Measurement of Dust Devil Parameters," November 1965.
148. Hansen, F. V., and P. S. Hansen, "Formation of an Internal Boundary over Heterogeneous Terrain," November 1965.
149. Webb, W. L., "Mechanics of Stratospheric Seasonal Reversals," November 1965.
150. U. S. Army Electronics R & D Activity, "U. S. Army Participation in the Meteorological Rocket Network," January 1966.
151. Rider, L. J., and M. Armendariz, "Low-Level Jet Winds at Green River, Utah," February 1966.
152. Webb, W. L., "Diurnal Variations in the Stratospheric Circulation," February 1966.
153. Beyers, N. J., B. T. Miers, and R. J. Reed, "Diurnal Tidal Motions near the Stratosopause During 48 Hours at WSMR," February 1966.
154. Webb, W. L., "The Stratospheric Tidal Jet," February 1966.
155. Hall, J. T., "Focal Properties of a Plane Grating in a Convergent Beam," February 1966.
156. Duncan, L. D., and Henry Rachele, "Real-Time Meteorological System for Firing of Unguided Rockets," February 1966.
157. Kays, M. D., "A Note on the Comparison of Rocket and Estimated Geostrophic Winds at the 10-mb Level," *J. Appl. Meteor.*, February 1966.
158. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," *J. Appl. Meteor.*, 5, February 1966.
159. Duncan, L. D., "Coordinate Transformations in Trajectory Simulations," February 1966.
160. Williamson, L. E., "Gun-Launched Vertical Probes at White Sands Missile Range," February 1966.
161. Randhawa, J. S., "Ozone Measurements with Rocket-Borne Ozonesondes," March 1966.
162. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear for Small Thickness Layers," March 1966.
163. Low, R. D. H., "Continuous Determination of the Average Sound Velocity over an Arbitrary Path," March 1966.
164. Hansen, Frank V., "Richardson Number Tables for the Surface Boundary Layer," March 1966.
165. Cochran, V. C., E. M. D'Arcy, and Florencio Ramirez, "Digital Computer Program for Five-Degree-of-Freedom Trajectory," March 1966.
166. Thiele, O. W., and N. J. Beyers, "Comparison of Rocketsonde and Radiosonde Temperatures and a Verification of Computed Rocketsonde Pressure and Density," April 1966.
167. Thiele, O. W., "Observed Diurnal Oscillations of Pressure and Density in the Upper Stratosphere and Lower Mesosphere," April 1966.
168. Kays, M. D., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, April 1966.
169. Hansen, F. V., "The Richardson Number in the Planetary Boundary Layer," May 1966.

170. Ballard, H. N., "The Measurement of Temperature in the Stratosphere and Mesosphere," June 1966.
171. Hansen, Frank V., "The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere," June 1966.
172. Hansen, Frank V., "Comparison of Nine Profile Models for the Diabatic Boundary Layer," June 1966.
173. Rachele, Henry, "A Sound-Ranging Technique for Locating Supersonic Missiles," May 1966.
174. Farone, W. A., and C. W. Querfeld, "Electromagnetic Scattering from Inhomogeneous Infinite Cylinders at Oblique Incidence," *J. Opt. Soc. Amer.* 56, 4, 476-480, April 1966.
175. Mireles, Ramon, "Determination of Parameters in Absorption Spectra by Numerical Minimization Techniques," *J. Opt. Soc. Amer.* 56, 5, 644-647, May 1966.
176. Reynolds, R., and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," *J. Appl. Meteorol.*, 5, 3, 304-307, June 1966.
177. Hall, James T., "Focal Properties of a Plane Grating in a Convergent Beam," *Appl. Opt.*, 5, 1051, June 1966.
178. Rider, Laurence J., "Low-Level Jet at White Sands Missile Range," *J. Appl. Meteorol.*, 5, 3, 283-287, June 1966.
179. McCluney, Eugene, "Projectile Dispersion as Caused by Barrel Displacement in the 5-Inch Gun Probe System," July 1966.
180. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear Calculations for Small Shear Layers," June 1966.
181. Lamberth, Roy L., and Manuel Armendariz, "Upper Wind Correlations in the Central Rocky Mountains," June 1966.
182. Hansen, Frank V., and Virgil D. Lang, "The Wind Regime in the First 62 Meters of the Atmosphere," June 1966.
183. Randhawa, Jagir S., "Rocket-Borne Ozonesonde," July 1966.
184. Rachele, Henry, and L. D. Duncan, "The Desirability of Using a Fast Sampling Rate for Computing Wind Velocity from Pilot-Balloon Data," July 1966.
185. Hinds, B. D., and R. G. Pappas, "A Comparison of Three Methods for the Correction of Radar Elevation Angle Refraction Errors," August 1966.
186. Riedmuller, G. F., and T. L. Barber, "A Mineral Transition in Atmospheric Dust Transport," August 1966.
187. Hall, J. T., C. W. Querfeld, and G. B. Hoidale, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," Part IV (Final), July 1966.
188. Duncan, L. D. and B. F. Engebos, "Techniques for Computing Launcher Settings for Unguided Rockets," September 1966.
189. Duncan, L. D., "Basic Considerations in the Development of an Unguided Rocket Trajectory Simulation Model," September 1966.
190. Miller, Walter B., "Consideration of Some Problems in Curve Fitting," September 1966.
191. Cermak, J. E., and J. D. Horn, "The Tower Shadow Effect," August 1966.
192. Webb, W. L., "Stratospheric Circulation Response to a Solar Eclipse," October 1966.
193. Kennedy, Bruce, "Muzzle Velocity Measurement," October 1966.
194. Traylor, Larry E., "A Refinement Technique for Unguided Rocket Drag Coefficients," October 1966.
195. Nusbaum, Henry, "A Reagent for the Simultaneous Microscope Determination of Quartz and Halides," October 1966.
196. Kays, Marvin and R. O. Olsen, "Improved Rocketsonde Parachute-derived Wind Profiles," October 1966.
197. Engebos, Bernard F. and Duncan, Louis D., "A Nomogram for Field Determination of Launcher Angles for Unguided Rockets," October 1966.
198. Webb, W. L., "Midlatitude Clouds in the Upper Atmosphere," November 1966.
199. Hansen, Frank V., "The Lateral Intensity of Turbulence as a Function of Stability," November 1966.
200. Rider, L. J. and M. Armendariz, "Differences of Tower and Pibal Wind Profiles," November 1966.
201. Lee, Robert P., "A Comparison of Eight Mathematical Models for Atmospheric Acoustical Ray Tracing," November 1966.
202. Low, R. D. H., et al., "Acoustical and Meteorological Data Report SOTRAN I and II," November 1966.



203. Hunt, J. A. and J. D. Horn, "Drag Plate Balance," December 1966.
204. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," December 1966.
205. Hansen, Frank V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range," January 1967.
206. Morris, James E., "Wind Measurements in the Subpolar Mesopause Region," January 1967.
207. Hall, James T., "Attenuation of Millimeter Wavelength Radiation by Gaseous Water," January 1967.
208. Thiele, O. W., and N. J. Beyers, "Upper Atmosphere Pressure Measurements With Thermal Conductivity Gauges," January 1967.
209. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," January 1967.
210. Hansen, F. V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range, New Mexico," January 1967.
211. D'Arcy, Edward M., "Some Applications of Wind to Unguided Rocket Impact Prediction," March 1967.
212. Kennedy, Bruce, "Operation Manual for Stratosphere Temperature Sonde," March 1967.
213. Hoidale, G. B., S. M. Smith, A. J. Blanco, and T. L. Barber, "A Study of Atmospheric Dust," March 1967.
214. Longyear, J. Q., "An Algorithm for Obtaining Solutions to Laplace's Titad Equations," March 1967.
215. Rider, L. J., "A Comparison of Pibal with Raob and Rawin Wind Measurements," April 1967.
216. Breeland, A. H., and R. S. Bonner, "Results of Tests Involving Hemispherical Wind Screens in the Reduction of Wind Noise," April 1967.
217. Webb, Willis L., and Max C. Bolen, "The D-region Fair-Weather Electric Field," April 1967.
218. Kubinski, Stanley F., "A Comparative Evaluation of the Automatic Tracking Pilot-Balloon Wind Measuring System," April 1967.
219. Miller, Walter B., and Henry Rachele, "On Nonparametric Testing of the Nature of Certain Time Series," April 1967.
220. Hansen, Frank V., "Spacial and Temporal Distribution of the Gradient Richardson Number in the Surface and Planetary Layers," May 1967.
221. Randhawa, Jagir S., "Diurnal Variation of Ozone at High Altitudes," May 1967.
222. Ballard, Harold N., "A Review of Seven Papers Concerning the Measurement of Temperature in the Stratosphere and Mesosphere," May 1967.
223. Williams, Ben H., "Synoptic Analyses of the Upper Stratospheric Circulation During the Late Winter Storm Period of 1966," May 1967.
224. Horn, J. D., and J. A. Hunt, "System Design for the Atmospheric Sciences Office Wind Research Facility," May 1967.
225. Miller, Walter B., and Henry Rachele, "Dynamic Evaluation of Radar and Photo Tracking Systems," May 1967.
226. Bonner, Robert S., and Ralph H. Rohwer, "Acoustical and Meteorological Data Report - SOTRAN III and IV," May 1967.
227. Rider, L. J., "On Time Variability of Wind at White Sands Missile Range, New Mexico," June 1967.
228. Randhawa, Jagir S., "Mesospheric Ozone Measurements During a Solar Eclipse," June 1967.
229. Beyers, N. J., and B. T. Miers, "A Tidal Experiment in the Equatorial Stratosphere over Ascension Island (8S)," June 1967.
230. Miller, W. B., and H. Rachele, "On the Behavior of Derivative Processes," June 1967.
231. Walters, Randall K., "Numerical Integration Methods for Ballistic Rocket Trajectory Simulation Programs," June 1967.
232. Hansen, Frank V., "A Diabatic Surface Boundary Layer Model," July 1967.
233. Butler, Ralph L., and James K. Hall, "Comparison of Two Wind Measuring Systems with the Contraves Photo-Theodolite," July 1967.
234. Webb, Willis L., "The Source of Atmospheric Electrification," June 1967.

235. Hinds, B. D., "Radar Tracking Anomalies over an Arid Interior Basin," August 1967.
236. Christian, Larry O., "Radar Cross Sections for Totally Reflecting Spheres," August 1967.
237. D'Arcy, Edward M., "Theoretical Dispersion Analysis of the Aerobee 350," August 1967.
238. Anon., "Technical Data Package for Rocket-Borne Temperature Sensor," August 1967.
239. Glass, Roy I., Roy L. Lamberth, and Ralph D. Reynolds, "A High Resolution Continuous Pressure Sensor Modification for Radiosondes," August 1967.
240. Low, Richard D. H., "Acoustic Measurement of Supersaturation in a Warm Cloud," August 1967.
241. Rubio, Roberto, and Harold N. Baliard, "Time Response and Aerodynamic Heating of Atmospheric Temperature Sensing Elements," August 1967.
242. Seagraves, Mary Ann B., "Theoretical Performance Characteristics and Wind Effects for the Aerobee 150," August 1967.
243. Duncan, Louis Dean, "Channel Capacity and Coding," August 1967.
244. Dunaway, G. L., and Mary Ann B. Seagraves, "Launcher Settings Versus Jack Settings for Aerobee 150 Launchers - Launch Complex 35, White Sands Missile Range, New Mexico," August 1967.
245. Duncan, Louis D., and Bernard F. Engebos, "A Six-Degree-of-Freedom Digital Computer Program for Trajectory Simulation," October 1967.
246. Rider, Laurence J., and Manuel Armendariz, "A Comparison of Simultaneous Wind Profiles Derived from Smooth and Roughened Spheres," September 1967.
247. Reynolds, Ralph D., Roy L. Lamberth, and Morton G. Wurtele, "Mountain Wave Theory vs Field Test Measurements," September 1967.
248. Lee, Robert P., "Probabilistic Model for Acoustic Sound Ranging," October 1967.
249. Williamson, L. Edwin, and Bruce Kennedy, "Meteorological Shell for Standard Artillery Pieces - A Feasibility Study," October 1967.
250. Rohwer, Ralph H., "Acoustical, Meteorological and Seismic Data Report - SOTRAN V and VI," October 1967.
251. Nordquist, Walter S., Jr., "A Study in Acoustic Direction Finding," November 1967.
252. Nordquist, Walter S., Jr., "A Study of Acoustic Monitoring of the Gun Probe System," November 1967.
253. Avara, E. P., and B. T. Miers, "A Data Reduction Technique for Meteorological Wind Data above 30 Kilometers," December 1967.
254. Hansen, Frank V., "Predicting Diffusion of Atmospheric Contaminants by Consideration of Turbulent Characteristics of WSMR," January 1968.
255. Randhawa, Jagir S., "Rocket Measurements of Atmospheric Ozone," January 1968.
256. D'Arcy, Edward M., "Meteorological Requirements for the Aerobee-350," January 1968.
257. D'Arcy, Edward M., "A Computer Study of the Wind Frequency Response of Unguided Rockets," February 1968.
258. Williamson, L. Edwin, "Gun Launched Probes - Parachute Expulsion Tests Under Simulated Environment," February 1968.
259. Beyers, Norman J., Bruce T. Miers, and Elton P. Avara, "The Diurnal Tide Near the Stratopause over White Sands Missile Range, New Mexico," February 1968.
260. Traylor, Larry E., "Preliminary Study of the Wind Frequency Response of the Honest John M50 Tactical Rocket," March 1968.
261. Engebos, B. F., and L. D. Duncan, "Real-Time Computations of Pilot Balloon Winds," March 1968.
262. Butler, Ralph and L. D. Duncan, "Empirical Estimates of Errors in Double-Theodolite Wind Measurements," February 1968.

# DISTRIBUTION LIST

ID#/CYS

## DEPARTMENT OF DEFENSE

101/20\* Defense Documentation Center  
ATTN: DDC-IRS  
Cameron Station (Bldg. 5)  
Alexandria, Virginia 22314

102/1 Office of Asst Secretary of Defense  
(Research and Engineering)  
ATTN: Technical Library, RM 3E1065  
Washington, D. C. 20301

103/1 Director, Defense Atomic Support  
Agency  
ATTN: Document Library Branch  
Washington, D. C. 20301

## DEPARTMENT OF THE NAVY

200/1 Chief Of Naval Research  
ATTN: Code 427  
Department of the Navy  
Washington, D. C. 20325

201/1 Naval Ships Systems Command  
ATTN: Code 6312 (Technical Library)  
Main Navy Building, Room 1528  
Washington, D. C. 20325

206/2 Director  
U. S. Naval Research Laboratory  
ATTN: Code 2027  
Washington, D. C. 20390

207/1 Commanding Officer and Director  
U. S. Navy Electronics Laboratory  
ATTN: Library  
San Diego, California 92101

208/1 Commander  
U. S. Naval Ordnance Laboratory  
ATTN: Technical Library  
White Oak, Silver Spring,  
Maryland 20910

209/1 AFSC STLO (RTSND)  
Naval Air Development Center  
Johnstown, Warminster, PA. 18974

210/1 Officer of Naval Weather Service  
(Code 80)  
Washington Navy Yard (Bldg. 200)  
Washington, D. C. 20390

211/1 Officer In Charge  
U. S. Navy Weather Research Facility  
Building R-48, U. S. Naval Air Station  
Norfolk, Virginia 23511

## DEPARTMENT OF THE AIR FORCE

302/1 Headquarters  
Strategic Air Command  
ATTN: DOCE  
Offutt Air Force Base, Nebraska 68113

303/1 Systems Engineering Group (SEPIR)  
Wright-Patterson Air Force Base  
Ohio 45433

304/2 Electronic Systems Division (ESTI)  
L. G. Hanscom Field  
Bedford, Massachusetts 01730

305/1 AFCRL (CREW)  
L. G. Hanscom Field  
Bedford, Massachusetts 01730

307/1 HQS, Air Weather Service  
ATTN: AWSAE/SIPD  
Scott Air Force Base, Illinois 62225

308/1 U. S. Air Force Security Service  
ATTN: ESD  
San Antonio, Texas 78241

309/1 Air Proving Ground CTR (PGBPS-12)  
ATTN: PGAPI  
Eglin Air Force Base, Florida 32542

310/1 Headquarters  
Research & Technology Division  
ATTN: RTTC  
Bolling AFB, D. C. 20332

## DEPARTMENT OF THE ARMY

400/2 Chief of Research and Development  
Department of the Army  
Washington, D. C. 20315

402/1 Commanding General  
U.S. Army Materiel Command  
ATTN: AMCRD-RV-A  
Washington, D. C. 20315

405/1 Commanding General  
U. S. Army Missile Command  
ATTN: AMSML-RRA  
Redstone Arsenal, Alabama 35809

406/3 Redstone Scientific Information Center  
ATTN: Chief, Document Section  
U. S. Army Missile Command  
Redstone Arsenal, Alabama 35809

410/2 Commanding Officer  
Aberdeen Proving Ground  
ATTN: Technical Library, Bldg. 313  
Aberdeen Proving Ground, Maryland  
21005

411/2 Headquarters  
U. S. Army Supply and Maintenance  
Command  
ATTN: AMSSM-MR-M and  
AMSSM-MM  
Washington, D. C. 20315

413/1 Commanding General  
U. S. Army Combat Development  
Command  
ATTN: CDCMR-E  
Fort Belvoir, Virginia 22060

414/1 Chief of Research and Development  
ATTN: CRD/M  
Department of the Army  
Washington, D. C. 20310

\* Increase to 50 copies if releasable to  
CFSTI. See para 5e (4), ECOMR 70-31, for  
types of reports not to be sent to DDC.

**UNCLASSIFIED**  
Security Classification

**DOCUMENT CONTROL DATA - R & D**

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

<b>1. ORIGINATING ACTIVITY (Corporate author)</b> U. S. Army Electronics Command Fort Monmouth, New Jersey		<b>2a. REPORT SECURITY CLASSIFICATION</b> Unclassified	
		<b>2b. GROUP</b>	
<b>3. REPORT TITLE</b> EMPIRICAL ESTIMATES OF ERRORS IN DOUBLE-THEODOLITE WIND MEASUREMENTS			
<b>4. DESCRIPTIVE NOTES (Type of report and inclusive dates)</b>			
<b>5. AUTHOR(S) (First name, middle initial, last name)</b> Ralph Butler Louis D. Duncan			
<b>6. REPORT DATE</b> February 1968		<b>7a. TOTAL NO. OF PAGES</b> 13	<b>7b. NO. OF REFS</b> 6
<b>8a. CONTRACT OR GRANT NO.</b>		<b>8b. ORIGINATOR'S REPORT NUMBER(S)</b> ECOM-5178	
<b>a. PROJECT NO.</b>			
<b>c. DA TASK</b> 1T014501B53A-10		<b>8b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)</b>	
<b>d.</b>			
<b>10. DISTRIBUTION STATEMENT</b> Distribution of this report is unlimited.			
<b>11. SUPPLEMENTARY NOTES</b>		<b>12. SPONSORING MILITARY ACTIVITY</b> U. S. Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico	
<b>13. ABSTRACT</b> This paper presents the results of an empirical study conducted at White Sands Missile Range, New Mexico, to estimate the errors in winds obtained by the manual double-theodolite wind system. A series of pilot balloon flights was conducted as a part of the tests. Each balloon was tracked simultaneously by the double-theodolite system and the very precise Contraves cinetheodolite system. The cinetheodolite system was used as a standard for evaluation of the double-theodolite system. Differences between the two systems were considered to be errors in the double-theodolite system. An observation interval of 20 seconds was used for the manual double-theodolite system; the observation interval for the cinetheodolite system was 1 second. Each balloon was tracked for 520 seconds. The double-theodolite data were reduced for observation intervals of 20, 40, 60, 80, 100, and 120 seconds. The reduced data, wind speed and direction, were compared with the cinetheodolite data for corresponding time periods. Similar evaluations were made by comparing the mean winds, measured independently by the two systems, through specified altitude layers. Layer thicknesses of 100, 200, 300, 400, and 500 feet were considered. The paper presents a discussion of the tests, the data reduction procedures, and results obtained. The decrease in errors for increased observation interval and increased layer thickness is discussed. The variation of measurement error with altitude is also presented.			

**DD FORM 1473**  
1 NOV 65

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS  
OBSOLETE FOR ARMY USE.

**UNCLASSIFIED**

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
1. Wind Measurements. 2. Photo-Theodolites. 3. Manual Double Theodolites. 4. Impact Prediction. 5. Unguided Rockets.						